








**Maintenance Committee Report of Issues in Diamond Farm**  
August 2017

Location	Issue	Photo
Behind 75 Longmeadow	Utility box open. First picture is when household items were on common area in June – this shows utility box just fine. Second pic is from 8/18/17 with box open. From spray paint on ground, appears utility company may be involved. Issue may resolve itself...	
Next to/behind 65 Longmeadow	Utility boxes open. Again, spray painting on ground indicates utility company may be involved and issue may resolve itself.	
12 Landsend	Ivy to be cut off sidewalk	
Island on Castle Ct	If it is true that we need to plant a tree each time we have one removed, it appears that one of the islands on Castle Court had a tree removed and would be a good place for a new tree	

<p>Rye Court tot lot</p>	<p>There is a large dead branch hanging directly over the slide. This should be removed as it could break off at any time. It appears to still be attached to the tree rather than having broken off and left hanging. I don't believe the committee can handle this branch.</p>		
<p>Along Quince Orchard near bus stop</p>	<p>Dead tree to be removed</p>		
<p>Between Purchase and Irish</p>	<p>Large dead tree to be removed</p>		

To left of 9 Fenceline

Drainage issue. Picture doesn't show it well, but there is actually a channel in the dirt that water appears to be following to get down hill

